



Material Safety Data Sheet

Section 1: Identification of the substance/mixture and of the company

1.1 Product identification:

Product name:- Pine Sylvestris, Essential Oil

Biological Definition:- Pinus Sylvestris Leaf Oil is the volatile oil obtained from the needles of the Scotch Pine, Pinus Sylvestris L., Pinaceae

Inci Name:- Pinus Sylvestris Leaf Oil

Synonyms & Trade Names:- -

Cas No:- 8023-99-2 / 84012-35-1

EC no:- 281-679-2

EINECS No:- 281-679-2

Date: August 2021

1.2 Details of the supplier of the safety data sheet:

Company Address:- Vilana NB LTD, Unit 22A Dickson Street, Elgin Industrial Estate, Dunfermline KY12 7SL

Email:- vilananb@gmail.com

Emergency Contact:- Vilana Bagdone

Section 2: Hazards Identification

2.1 Classification of the substance or mixture:

Classification (67/548/EEC):- THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.

Classification: (EU1272/2008):-

PHYSICAL HAZARDS: FLAM. LIQ. 3 - H226
HEALTH HAZARDS: ASP. TOX. 1 - H304, SKIN IRRIT. 2 – H315, SKIN SENS. 1B - H317
ENVIRONMENTAL HAZARDS: AQUATIC CHRONIC 2 - H411 *SEE SECTION 16 FOR OTHER INFORMATION ON PRODUCT CLASSIFICATION

2.2 Label Elements:- Label in accordance with regulation (EC) No 1272/2008

GHS Label:-



Signal Word:- Danger

Contains:- ALPHA-PINENE, BETA PINENE, D-LIMONENE, DELTA-3-CARENE, MYRCENE

Hazards Statement:- H226 FLAMMABLE LIQUID AND VAPOUR.

H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.

H315 CAUSES SKIN IRRITATION.

H317 MAY CAUSE AN ALLERGIC SKIN REACTION.

H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

Precautionary Statements:-

P210 KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES. NO SMOKING.

P261 AVOID BREATHING VAPOUR/ SPRAY.

P273 AVOID RELEASE TO THE ENVIRONMENT.

P280 WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION.

P301+P310 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER/DOCTOR/PHYSICIAN.

P331 DO NOT INDUCE VOMITING.

P501 DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL/INTERNATIONAL REGULATIONS.

Supplementary Precautionary Statements:- P233 KEEP CONTAINER TIGHTLY CLOSED.

P240 GROUND AND BOND CONTAINER AND RECEIVING EQUIPMENT.

P241 USE EXPLOSION-PROOF ELECTRICAL EQUIPMENT.

P242 USE NON-SPARKING TOOLS.

P243 TAKE ACTION TO PREVENT STATIC DISCHARGES.

P264 WASH CONTAMINATED SKIN THOROUGHLY AFTER HANDLING.

P272 CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED OUT OF THE WORKPLACE.

P302+P352 IF ON SKIN: WASH WITH PLENTY OF WATER.

P303+P361+P353 IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER OR SHOWER.

P321 SPECIFIC TREATMENT (SEE MEDICAL ADVICE ON THIS LABEL).

P332+P313 IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ ATTENTION.

P333+P313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ ATTENTION.

P362+P364 TAKE OFF CONTAMINATED CLOTHING AND WASH IT BEFORE REUSE.

P370+P378 IN CASE OF FIRE: USE FOAM, CARBON DIOXIDE, DRY POWDER OR WATER FOG TO EXTINGUISH.

P391 COLLECT SPILLAGE.

P403+P235 STORE IN A WELL-VENTILATED PLACE. KEEP COOL

2.3 Other Hazards:

Adverse Physio-Chemical Properties:- FLAMMABLE LIQUID AND VAPOUR

Adverse Effects On Human Health:- MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. CAUSES SKIN IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION.

PBT or vPvB According to Annex X111:- NO ADDITIONAL DATA AVAILABLE

Section 3: Composition of Ingredients:

3.1 Substances:- 30 - 60% ALPHA-PINENE CAS NO: 80-56-8 EC NO: 201-291-9 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ACUTE TOX. 4 H302, ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, AQUATIC ACUTE 1 – H400, AQUATIC CHRONIC 1 – H410 3 - 25% BETA-PINENE CAS NO: 127-91-3 EC NO: 204-872-5 CLASSIFICATION (EC 1272/2008): FLAM. LIQ. 3 - H226, ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, AQUATIC ACUTE 1 – H400, AQUATIC CHRONIC 1 – H410 4 - 15% D-LIMONENE CAS NO: 5989-27-5 EC NO: 227-813-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 – H226, ASP. TOX. 1 H304, SKIN IRRIT 2 – H315, SKIN SENS. 1 – H317 AQUATIC ACUTE 1 – H400, AQUATIC CHRONIC 1 – H410 2 - 20% DELTA-3-CARENE CAS NO: 13466-78-9 EC NO: 236-719-3 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, AQUATIC CHRONIC 3 - H412 1.5 – 10% MYRCENE CAS NO: 123-35-3 EC NO: 204-322-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 2 - H411 ≤ 7.5% CAMPHENE CAS NO: 79-92-5 EC NO: 201-234-8 CLASSIFICATION (EC 1272/2008) FLAM. SOL. 1 – H228, EYE IRRIT 2 – H319, AQUATIC ACUTE 1 – H400, AQUATIC CHRONIC 1 – H410 ≤ 4% ALPHA-TERPINOLENE CAS NO: 586-62-9 EC NO: 209-578-0 CLASSIFICATION (EC 1272/2008) ASP. TOX. 1 - H304, SKIN SENS. 1B - H317, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410

SECTION 4: FIRST AID MEASURES:

4.1 DESCRIPTION OF FIRST AID MEASURES:-

GENERAL INFORMATION - ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.

INHALATION:- GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION

INGESTION:- GET MEDICAL ATTENTION IMMEDIATELY. RINSE MOUTH WITH WATER AND OBTAIN MEDICAL ATTENTION.

SKIN CONTACT:- REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT DOCTOR IF IRRITATION PERSISTS.

EYE CONTACT:- FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. CONTACT DOCTOR IF SYMPTOMS PERSIST.

4.2 MOST IMPORTANT SYMPTOMS & EFFECTS (ACUTE & DELAYED):- OBSERVE RISK OF ASPIRATION IF VOMITING OCCURS

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR SPECIAL TREATMENT REQUIRED:- TREAT SYMPTOMATICALLY

SECTION 5: FIRE FIGHTING MEASURES:

5.1 EXTINGUISHING MATERIAL:- CO₂, FOAM, DRY CHEMICAL POWDER

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:- BURNING PRODUCES IRRITATING, TOXIC AND OBNOXIOUS FUMES.

5.3 ADVICE FOR FIRE-FIGHTERS SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS:- ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN, EYES AND CLOTHING.

6.2 ENVIRONMENTAL PRECAUTIONS:- DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES.

6.3 METHODS & MATERIAL FOR CONTAINMENT AND CLEANING UP:- REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS

6.4 REFERENCES TO OTHER SECTIONS:- REFER & CONSIDER SECTIONS 4,7,8 & 13.

SECTION 7: HANDLING & STORAGE

7.1 PRECAUTIONS FOR SAFE-HANDLING:- HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES. - NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT..

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:- KEEP THE PRODUCT CONTAINER TIGHTLY CLOSED, IN A DRY, VENTILATED AREA. KEEP AWAY FROM POTENTIAL SOURCES OF IGNITION AND PROTECTED FROM LIGHT. MAINTAIN LIMITED CONTACT WITH OXYGEN..

7.3 SPECIFIC END USE(S):- SUITABLE FOR USE IN COSMETICS, FRAGRANCES AND PROFESSIONAL APPLICATIONS ONLY.

SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1 CONTROL PARAMETERS:- ALPHA-PINENE (CAS NO: 80-56-8) DNEL WORKERS - INHALATION; LONG TERM SYSTEMIC EFFECTS: 3.8 MG/M³ WORKERS - DERMAL; LONG TERM SYSTEMIC EFFECTS: 0.54 BW/DAY, MG/KG GENERAL POPULATION - INHALATION; LONG TERM SYSTEMIC EFFECTS: 0.67 MG/M³ GENERAL POPULATION - DERMAL; LONG TERM SYSTEMIC EFFECTS: 0.19 MG/KG, BW/DAY GENERAL POPULATION - ORAL; LONG TERM SYSTEMIC EFFECTS: 0.19 MG/KG, BW/DAY PNEC - FRESH WATER; SHORT TERM 0.606 MG/L - FRESH WATER, INTERMITTENT RELEASE; 3.03 MG/L - MARINE WATER; SHORT TERM 0.061 MG/L - INTERMITTENT RELEASE, MARINE WATER; 0.303 MG/L - STP; SHORT TERM 0.2 MG/L - SEDIMENT (FRESH WATER); SHORT TERM 157 MG/KG - SEDIMENT (MARINE WATER); SHORT TERM 15.7 MG/KG - SOIL; SHORT TERM 31.7 MG/KG BETA-PINENE (CAS NO: 127-91-3) DNEL WORKERS - INHALATION; LONG TERM SYSTEMIC EFFECTS: 5.69 MG/M³ WORKERS - DERMAL; LONG TERM SYSTEMIC EFFECTS: 0.8 BW/DAY, MG/KG GENERAL POPULATION - INHALATION; LONG TERM SYSTEMIC EFFECTS: 1 MG/M³ GENERAL POPULATION - DERMAL; LONG TERM SYSTEMIC EFFECTS: 0.3 MG/KG, BW/DAY GENERAL POPULATION - ORAL; LONG TERM SYSTEMIC EFFECTS: 0.3 BW/DAY, MG/KG PNEC - FRESH WATER; SHORT TERM 1.004 MG/L - INTERMITTENT RELEASE, FRESH WATER; 5.02 MG/L - MARINE WATER; SHORT TERM 0.1 MG/L - STP; SHORT TERM 3.26 MG/L - SEDIMENT (FRESH WATER); SHORT TERM 0.337 MG/KG - SEDIMENT (MARINE WATER); SHORT TERM 0.034 MG/KG - SOIL; SHORT TERM 0.067 MG/KG DELTA-3-CARENE (CAS NO: 13466-78-9) DNEL WORKERS - INHALATION; LONG TERM SYSTEMIC EFFECTS: 5.69 MG/M³ WORKERS - DERMAL; LONG TERM SYSTEMIC EFFECTS: 0.8 MG/KG, BW/DAY GENERAL POPULATION - INHALATION; LONG TERM SYSTEMIC EFFECTS: 1 MG/M³ GENERAL POPULATION - DERMAL; LONG TERM SYSTEMIC EFFECTS: 0.3 MG/KG, BW/DAY GENERAL

POPULATION - ORAL; LONG TERM SYSTEMIC EFFECTS: 0.3 BW/DAY, MG/KG PNEC - FRESH WATER; SHORT TERM 0.44 MG/L - MARINE WATER; SHORT TERM 0.044 MG/L - STP; SHORT TERM 3.26 MG/L - SEDIMENT (FRESH WATER); SHORT TERM 104 MG/KG - SEDIMENT (MARINE WATER); SHORT TERM 10.4 MG/KG - SOIL; SHORT TERM 20.8 MG/KG MYRCENE(CAS NO: 123-35-3) DNEL WORKERS - DERMAL; LONG TERM SYSTEMIC EFFECTS: 0.83 MG/KG WORKERS - INHALATION; LONG TERM SYSTEMIC EFFECTS: 5.83 MG/M³ GENERAL POPULATION - DERMAL; LONG TERM SYSTEMIC EFFECTS: 0.42 MG/KG GENERAL POPULATION - INHALATION; LONG TERM SYSTEMIC EFFECTS: 1.25 MG/M³ PNEC - STP; 0.2 MG/L - SOIL; 1.015 MG/KG - FRESH WATER; 0.00028 MG/L - MARINE WATER; 0.0008 MG/L - SEDIMENT (FRESH WATER); 5.022 MG/KG - SEDIMENT (MARINE WATER); 0.502 MG/KG CAMPHENE (CAS NO: 79-92-5) DNEL WORKERS - INHALATION; LONG TERM SYSTEMIC EFFECTS: 110.19 MG/M³ WORKERS - INHALATION; SHORT TERM SYSTEMIC EFFECTS: 110.19 MG/M³ WORKERS - DERMAL; LONG TERM SYSTEMIC EFFECTS: 0.21 MG/KG, BW/DAY WORKERS - DERMAL; SHORT TERM SYSTEMIC EFFECTS: 1.25 MG/KG, BW/DAY GENERAL POPULATION - INHALATION; LONG TERM SYSTEMIC EFFECTS: 54.3 MG/M³ GENERAL POPULATION - INHALATION; SHORT TERM SYSTEMIC EFFECTS: 54.3 MG/M³ GENERAL POPULATION - DERMAL; LONG TERM SYSTEMIC EFFECTS: 0.1 BW/DAY, MG/KG GENERAL POPULATION - DERMAL; SHORT TERM SYSTEMIC EFFECTS: 0.625 BW/DAY, MG/KG GENERAL POPULATION - ORAL; LONG TERM SYSTEMIC EFFECTS: 0.1 BW/DAY, MG/KG GENERAL POPULATION - ORAL; SHORT TERM SYSTEMIC EFFECTS: 0.625 BW/DAY, MG/KG PNEC - FRESH WATER; SHORT TERM 0.001 MG/L - INTERMITTENT RELEASE, FRESH WATER; 0.001 MG/L - MARINE WATER; SHORT TERM 0 MG/L - STP; SHORT TERM 10 MG/L - SEDIMENT (FRESH WATER); SHORT TERM 0.026 MG/KG - SEDIMENT (MARINE WATER); SHORT TERM 0.003 MG/KG - SOIL; SHORT TERM 0.021 MG/KG ALPHA TERPINOLENE (CAS NO: 586-62-9) DNEL WORKERS - INHALATION; LONG TERM SYSTEMIC EFFECTS: 3.6 MG/M³ WORKERS - DERMAL; LONG TERM SYSTEMIC EFFECTS: 0.52 BW/DAY, MG/KG GENERAL POPULATION - INHALATION; LONG TERM SYSTEMIC EFFECTS: 0.9 MG/M³ GENERAL POPULATION - DERMAL; LONG TERM SYSTEMIC EFFECTS: 0.26 BW/DAY, MG/KG GENERAL POPULATION - ORAL; LONG TERM SYSTEMIC EFFECTS: 0.26 BW/DAY, MG/KG PNEC - FRESH WATER; SHORT TERM 0.634 MG/L - FRESH WATER, INTERMITTENT RELEASE; SHORT TERM 0.634 MG/L - MARINE WATER; SHORT TERM 0.063 MG/L - STP; SHORT TERM 0.2 MG/L - SEDIMENT (FRESH WATER); SHORT TERM 14.7 MG/KG - SEDIMENT (MARINE WATER); SHORT TERM 14.7 MG/KG - SOIL; SHORT TERM 29.1 MG/KG

8.2 EXPOSURE CONTROLS:-



EYE PROTECTION:- WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. AVOID CONTACT WITH EYES. WEAR APPROVED SAFETY GOGGLES. (EN166)

HAND PROTECTION:- WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. AVOID CONTACT WITH EYES. WEAR APPROVED SAFETY GOGGLES. (EN166)

RESPIRATORY EQUIPMENT:- UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7.

HYGIENE MEASURES:- GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.

ENGINEERING MEASURES:- PROVIDE ADEQUATE VENTILATION

SKIN PROTECTION:- WEAR APPROPRIATE PROTECTIVE CLOTHING TO PREVENT SKIN CONTACT. WORK CLOTHING, WORN BY PERSONNEL, SHOULD BE LAUNDERED REGULARLY. AFTER CONTACT WITH THE PRODUCT, ALL PARTS OF THE BODY, THAT HAVE COME INTO CONTACT WITH THE PRODUCT, MUST BE WASHED THOROUGHLY

PERSONAL PROTECTION:- AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES.

OTHER PROTECTION:- WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS

PROCESS CONDITIONS:- ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.

ENVIRONMENTAL EXPOSURE CONTROLS:- AVOID DISCHARGING INTO DRAINAGE WATER. ONLY ELIMINATE BY AUTHORISED COMPANIES.

SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

9.1 PHYSICAL & CHEMICAL PROPERTIES:-

APPEARANCE:- LIQUID

COLOUR:- COLOURLESS - PALE YELLOW

ODOUR:- CHARACTERISTIC,
RELATIVE DENSITY:- APPROX 0.865 @ 20°C
FLASH POINT (°C):- 37°C
REFRACTIVE INDEX @ 20 °C:- APPROX 1.472 @ 20°C
SOLUBILITY IN WATER @ 20 °C:- INSOLUBLE IN WATER
9.2 OTHER INFORMATION:- MELTING POINT (°C): < -20.0 BOILING POINT (°C):
169.4 @ 101.325 KPA

SECTION 10: STABILITY & REACTIVITY

10.1 REACTIVITY:- PRESENTS NO SIGNIFICANT REACTIVITY HAZARDS, BY ITSELF OR IN CONTACT WITH WATER. STABLE UNDER NORMAL TEMPERATURE AND STORAGE CONDITIONS AND RECOMMENDED USE.

10.2 CHEMICAL STABILITY:- STABLE UNDER SUGGESTED STORAGE CONDITIONS (<15°C).

10.3 POSSIBILITY OF HAZARDOUS REACTIONS:- NOT EXPECTED UNDER NORMAL CONDITIONS OF USE.

10.4 CONDITIONS TO AVOID:- KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES.

10.5 INCOMPATIBLE MATERIALS:- OXIDISERS

10.6 HAZARDOUS DECOMPOSITION PRODUCTS:- NOT EXPECTED UNDER NORMAL TEMPERATURE CONDITIONS AND RECOMMENDED USE. THERMAL DECOMPOSITION MAY RELEASE/FORM OXIDES OF CARBON (CARBON MONOXIDE, CARBON DIOXIDE) AND OTHER TOXIC GASES.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 TOXICOLOGICAL EFFECTS:

ACUTE TOXICITY:- NOT CLASSIFIED AS ACUTELY TOXIC. LD50 (ORAL) 5000MG/KG (RAT) NOTE: THE CLP ADDITIVITY CALCULATION CLASSIFIES PRODUCT AS H302 - HARMFUL IF SWALLOWED. BASED ON THE LD50 VALUE PRODUCT IS NOT ACUTELY TOXIC

SKIN IRRITATION:- CAUSES SKIN IRRITATION

EYE DAMAGE OR IRRITATION:- NOT CLASSIFIED

RESPIRATORY OR SKIN SENSITIVITY:- MAY CAUSE ALLERGIC REACTION BY SKIN CONTACT

GERM CELL MUTAGENICITY:- NOT CLASSIFIED

CARCINOGENICITY:- NOT CLASSIFIED

REPRODUCTIVE TOXICITY:- NOT CLASSIFIED

STOT – SINGLE EXPOSURE:- NOT CLASSIFIED

STOT – REPEATED EXPOSURE:- NOT CLASSIFIED

ASPIRATION HAZARD:- MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS

OTHER INFORMATION:- NO ADDITIONAL DATA AVAILABLE

SECTION 12: ECOLOGICAL INFORMATION

12.1 TOXICITY:- THE CLP ADDITIVITY CALCULATION CLASSIFIES PRODUCT AS AQUATIC ACUTE 1; H400 - VERY TOXIC TO AQUATIC LIFE AQUATIC CHRONIC 1; H410 - VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. HOWEVER BASED ON REACH DATA PRODUCT IS CLASSIFIED AS AQUATIC CHRONIC 2; H411 - TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

12.2 PERSISTENCE & DEGRADABILITY:- TO BE CONSIDERED AS READILY BIODEGRADABLE BASED ON ITS READY BIODEGRADABILITY. OIL DOES NOT FULFIL THE CRITERIA FOR PERSISTENCE.

12.3 BIO- ACCUMULATIVE POTENTIAL:- NO ADDITIONAL INFORMATION AVAILABLE

12.4 MOBILITY IN SOIL:- NO ADDITIONAL INFORMATION AVAILABLE

12.5 RESULTS OF PBT & VPVB ASSESSMENT:- NO ADDITIONAL INFORMATION AVAILABLE

12.6 OTHER ADVERSE EFFECTS:- DO NOT ALLOW PRODUCT TO ENTER STREAMS, SEWERS OR OTHER WATERWAYS.

SECTION 13: DISPOSAL INFORMATION

13.1 WASTE TREATMENT METHODS:- DO NOT ALLOW ENTRY INTO DRAINS OR WATERWAYS. WASTE: WASTE MANAGEMENT IS CARRIED OUT WITHOUT ENDANGERING HUMAN HEALTH, WITHOUT HARMING THE ENVIRONMENT AND, IN PARTICULAR WITHOUT RISK TO WATER, AIR, SOIL, PLANTS OR ANIMALS. RECYCLE OR DISPOSE OF WASTE IN COMPLIANCE WITH CURRENT LEGISLATION, PREFERABLY VIA A CERTIFIED COLLECTOR OR COMPANY. DO NOT CONTAMINATE THE GROUND OR WATER WITH WASTE. DO NOT DISPOSE OF WASTE INTO THE ENVIRONMENT. SOILED PACKAGING: EMPTY CONTAINER COMPLETELY. KEEP LABEL(S) ON CONTAINER. DISPOSE OF VIA A CERTIFIED DISPOSAL CONTRACTOR.

SECTION 14: TRANSPORT INFORMATION

14.1 TRANSPORT INFORMATION:- ROAD: 1272 RAIL: 1272 AIR: 1272

14.2 UN SHIPPING NAME:- PINE OIL

14.3 TRANSPORT HAZARD CLASS(EADR/RID ADR/RID – CLASS 9 ADR CLASSIFICATION CODE – ADR/RID/ADN CLASS: 3 ADR/RID/AND CLASSIFICATION CODE F1 IMDG CLASS: 3 ICAO CLASS/DIVISION: 3 ADR/RID/ADN EXCEPTED QUANTITIES (EQ) E1 LIMITED QUANTITIES (LQ) 5 L TRANSPORT CATEGORY (TC) 3 TUNNEL RESTRICTION CODE (TRC) D/E HAZARD IDENTIFICATION NO 30 EMERGENCY ACTION CODE 3Y IMDG EXCEPTED QUANTITIES (EQ) E1 LIMITED QUANTITIES (LQ) 5 L EMS F-E, S-E

ICAO – IATA/DGR EXCEPTED QUANTITIES (EQ) E1 LIMITED QUANTITIES (LQ)
10 L

TRANSPORT LABELS:-



14.4 PACKING GROUP:- ADR/RID PACKING GROUP: III IMDG PACKING GROUP: III ICAO PACKING GROUP: III

14.5 ENVIRONMENTAL HAZARDS:- ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT.



14.6 SPECIAL PRECAUTIONS FOR USER EMS: SEE SECTIONS 6-8

14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE:- PACKED AND TRANSFERRED ACCORDING TO TRANSPORT REGULATIONS.

SECTION 15: REGULATORY INFORMATION

15.1 PRODUCT SPECIFIC SAFETY, HEALTH & ENVIRONMENTAL REGULATIONS & LEGISLATION:-

EU DIRECTIVES:- REGULATION (EC) NO 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18TH DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE 1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) NO793/93 & COMMISSION REGULATION (EC) NO1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS)

STATUTORY INSTRUMENTS:- THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009 NO 716)

APPROVED CODE OF PRACTICE:- CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS.

GUIDANCE NOTES:- WORKPLACE EXPOSURE LIMITS EH40 CHIP FOR EVERYONE HSG 108

15.2 CHEMICAL SAFETY ASSESSMENT:- NO DATA

SECTION 16 OTHER INFORMATION

HAZARD AND/OR PRECAUTIONARY STATEMENTS IN FULL:-

H226 FLAMMABLE LIQUID AND VAPOUR.

H228 FLAMMABLE SOLID.

H302 HARMFUL IF SWALLOWED.

H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.

H315 CAUSES SKIN IRRITATION.

H317 MAY CAUSE AN ALLERGIC SKIN REACTION.

H319 CAUSES SERIOUS EYE IRRITATION.

H400 VERY TOXIC TO AQUATIC LIFE.

H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

OTHER INFORMATION:- NO ADDITIONAL DATA AVAILABLE