



## Material Safety Data Sheet

### Section 1: Identification of the substance/mixture and of the company

#### 1.1 Product identification:

**Product name:-** Tea Tree (Australian) Essential Oil

**Biological Definition:-** Melaleuca Alternifolia Leaf Oil is the oil distilled from the leaves of the Tea Tree, Melaleuca Alternifolia, Myrtaceae.

**Inci Name:-** Melaleuca Alternifolia Leaf Oil

**Synonyms & Trade Names:-** Tea Tree Oil

**Cas No:-** 85085-48-9/8022-72-8/68647-73-4

**EC no:-** 285-377-1

**EINECS No:-** 285-377-1

**Date:** August 2021

#### 1.2 Details of the supplier of the safety data sheet:

**Company Address:-** Vilana NB LTD, Unit 22A Dickson Street, Elgin Industrial Estate, Dunfermline KY12 7SL

**Email:-** [vilananb@gmail.com](mailto:vilananb@gmail.com)

**Emergency Contact:-** Vilana Bagdone

### Section 2: Hazards Identification

#### 2.1 Classification of the substance or mixture:

**Classification (67/548/EEC):-** No additional data available

**Physical and Chemical Hazards:-** Flam liq 3 - H226

**Classification: (EU1272/2008):-**

Human Health:- Acute Tox 4 - H302

Skin Irrit 2 - H315

Eye Irrit 2 - H319

Skin Sens 1 - H317

Asp Tox 1 - H304

Environment:- Aquatic Accute 2 - H401

Aquatic Chronic 2 - H411

#### 2.2 Label Elements:- Label in accordance with regulation (EC) No 1272/2008

**GHS Label:-** GHS02  GHS07  GHS08  GHS09 

**Signal Word:-** Danger

**Contains:-** Gamma-Terpinene, Alpha-Terpinene, Terpinolene, Alpha-Pinene, p-Cymene, d-Limonene

**Hazards Statement:-** H226 Flammable liquid and vapour

H302 Harmful if swallowed

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H401 Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects.

**Precautionary Statements:-** P273 Avoid release to the environment

P280 Wear protective gloves / Protective Clothing / Eye Protection /

Face Protection

P301+P310 If SWALLOWED immediately call a POISON CENTRE /

Doctor

P305+P351+P338 If IN EYES: rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P331 Do NOT induce vomiting

P391 Collect spillage

P262 Do not get in eyes, on skin.

**Supplementary Precautionary Statements:-** P210 Keep away from heat / sparks / open flames / hot surfaces - no smoking.

P233 Keep container tightly closed

P240 Ground / bond container and receiving equipment

P241 Use explosion-proof electrical / ventilating / lighting / equipment

P242 Use only non sparking tools

P243 Take precautionary measures against static discharge

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the

workplace.

P301+312 If SWALLOWED call a POISON Centre or doctor if you

feel unwell.

P302+352 If ON SKIN wash with plenty of soap and water

P303+361+353 If ON SKIN (or hair) Remove/take off immediately all

contaminated clothing rinse skin with water/shower.

P313 Seek medical attention

P330 Rinse mouth

P332+313 If skin irritation occurs seek medical advice

P333+313 If skin irritation or rash occurs seek medical advice

P337 If eye irritation persists seek medical advice

P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse  
P370+378 In case of fire use Foam, CO2, Dry Chemical Powder  
P403+235 Store in a well ventilated place. Keep cool  
P405 Store in a locked housing

### **2.3 Other Hazards:**

**Adverse Physio-Chemical Properties:-** No data

**Adverse Effects On Human Health:-** No data

**PBT or vPvB According to Annex X111:-** No data

### **Section 3: Composition of Ingredients:**

**3.2 MIXTURES:-** >35.0% TERPINEN-4-OL CAS NO: 562-74-3 EC NO: 209-235-5 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 4 -H302, SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319 10.0 – 28.0% GAMMA-TERPINENE (P-MENTHA-1,4-DIENE) CAS NO: 99-85-4 EC NO: 202-794-6 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ASP. TOX. 1 - H304 5.0 – 13.0% ALPHA-TERPINENE CAS NO: 99-86-5 EC NO: 202-795-1 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ACUTE TOX. 4 - H302, ASP. TOX. 1 - H304, AQUATIC CHRONIC 2 - H411 1.0 – 5.0% TERPINOLENE CAS NO: 586-62-9 EC NO: 209-578-0 CLASSIFICATION (EC 1272/2008) ASP. TOX. 1- H304, SKIN SENS. 1B - H317, AQUATIC ACUTE 1- H400, AQUATIC CHRONIC 1- H410 1.5 – 8.0% ALPHA-TERPINEOL (P-MENTH-1-EN-8-OL) CAS NO: 98-55-5 EC NO: 202-680-6 CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319 1.0 – 6.0% ALPHA-PINENE CAS NO: 80-56-8 EC NO: 201-291-9 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ACUTE TOX. 4 H302, ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, AQUATIC ACUTE 1- H400, AQUATIC CHRONIC 1- H410 0.5-12.0% P-CYMENE CAS NO: 99-87-6 EC NO: 202-796-7 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, SKIN IRRIT. 2 - H315, EYE IRRIT.2 – H319, ASP. TOX. 1 - H304, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410 <5.0% 1.8-CINEOLE CAS NO: 470-82-6 EC NO: 207-431-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, SKIN SENS. 1- H317 < 5.0% D-LIMONENE CAS NO: 5989-27-5 EC NO: 227-813-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317 AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410

### **SECTION 4: FIRST AID MEASURES:**

#### **4.1 DESCRIPTION OF FIRST AID MEASURES:-**

**GENERAL INFORMATION** - ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.

**INHALATION:-** GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION.

**INGESTION:-** GET MEDICAL ATTENTION IMMEDIATELY. RINSE MOUTH WITH WATER AND OBTAIN MEDICAL ATTENTION.

**SKIN CONTACT:-** REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS.

**EYE CONTACT:-** FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN IF SYMPTOMS PERSIST.

**4.2 MOST IMPORTANT SYMPTOMS & EFFECTS (ACUTE & DELAYED):-**

INHALATION MAY CAUSE COUGHING AND DIFFICULTIES IN BREATHING. INGESTION IRRITATING TO THE RESPIRATORY TRACT AND MAY CAUSE DAMAGE TO THE CENTRAL NERVOUS SYSTEM. SKIN CONTACT TOXIC IN CONTACT WITH SKIN. EYE CONTACT MAY CAUSE EYE IRRITATION.

**4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR SPECIAL TREATMENT REQUIRED:-** NONE EXPECTED, SEE SECTION 4.1 FOR FURTHER INFORMATION.

**SECTION 5: FIRE FIGHTING MEASURES:**

**5.1 EXTINGUISHING MATERIAL:-** FOAM, CO<sub>2</sub>, DRY CHEMICAL POWDER.

**5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:-** BURNING PRODUCES IRRITATING, TOXIC AND OBNOXIOUS FUMES

**5.3 ADVICE FOR FIRE-FIGHTERS SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS:** WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**6.1 PERSONAL PRECAUTIONS:-** ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN, EYES AND CLOTHING.

**6.2 ENVIRONMENTAL PRECAUTIONS:-** DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES.

**6.3 METHODS & MATERIAL FOR CONTAINMENT AND CLEANING UP:-** REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS.

**6.4 REFERENCES TO OTHER SECTIONS:-** REFER & CONSIDER SECTION 8. REFER & CONSIDER SECTION 13.

**SECTION 7: HANDLING & STORAGE**

**7.1 PRECAUTIONS FOR SAFE-HANDLING:-** HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES. - NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS

WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.

**7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:-** KEEP THE PRODUCT CONTAINER TIGHTLY CLOSED, IN A DRY, VENTILATED AREA. KEEP AWAY FROM POTENTIAL SOURCES OF IGNITION AND PROTECTED FROM LIGHT. MAINTAIN LIMITED CONTACT WITH OXYGEN.

**7.3 SPECIFIC END USE(S):-** NO DATA.

## **SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION**

**8.1 CONTROL PARAMETERS:-** ALPHA- TERPINOLENE (CAS: 586-62-9) DNEL WORKERS - INHALATION; LONG TERM SYSTEMIC EFFECTS: 3.6 MG/M<sup>3</sup> WORKERS - DERMAL; LONG TERM SYSTEMIC EFFECTS: 0.52 BW/DAY, MG/KG GENERAL POPULATION - INHALATION; LONG TERM SYSTEMIC EFFECTS: 0.9 MG/M<sup>3</sup> GENERAL POPULATION - DERMAL; LONG TERM SYSTEMIC EFFECTS: 0.26 BW/DAY, MG/KG GENERAL POPULATION - ORAL; LONG TERM SYSTEMIC EFFECTS: 0.26 BW/DAY, MG/KG PNEC - FRESH WATER; SHORT TERM 0.634 MG/L - INTERMITTENT RELEASE, FRESH WATER; SHORT TERM 0.634 MG/L - MARINE WATER; SHORT TERM 0.063 MG/L - STP; SHORT TERM 0.2 MG/L - SEDIMENT (FRESH WATER); SHORT TERM 14.7 MG/KG - SEDIMENT (MARINE WATER); SHORT TERM 14.7 MG/KG - SOIL; SHORT TERM 29.1 MG/KG P-MENTH-1-EN-8-OL (CAS: 98-55-5) PNEC - FRESH WATER; SHORT TERM 68 MG/L - MARINE WATER; SHORT TERM 6.8 MG/L - STP; SHORT TERM 2.6 MG/L - SEDIMENT (FRESH WATER); SHORT TERM 1.85 MG/KG - SEDIMENT (MARINE WATER); SHORT TERM 0.185 MG/KG - SOIL; SHORT TERM 0.329 MG/KG ALPHA PINENE (CAS: 80-56-8) DNEL WORKERS - INHALATION; LONG TERM SYSTEMIC EFFECTS: 3.8 MG/M<sup>3</sup> WORKERS - DERMAL; LONG TERM SYSTEMIC EFFECTS: 0.54 MG/KG, BW/DAY GENERAL POPULATION - INHALATION; LONG TERM SYSTEMIC EFFECTS: 0.67 MG/M<sup>3</sup> GENERAL POPULATION - DERMAL; LONG TERM SYSTEMIC EFFECTS: 0.19 MG/KG, BW/DAY GENERAL POPULATION - ORAL; LONG TERM SYSTEMIC EFFECTS: 0.19 MG/KG, BW/DAY PNEC - FRESH WATER; SHORT TERM 0.606 MG/L - FRESH WATER, INTERMITTENT RELEASE; 3.03 MG/L - MARINE WATER; SHORT TERM 0.061 MG/L - INTERMITTENT RELEASE, MARINE WATER; 0.303 MG/L - STP; SHORT TERM 0.2 MG/L - SEDIMENT (FRESH WATER); SHORT TERM 157 MG/KG - SEDIMENT (MARINE WATER); SHORT TERM 15.7 MG/KG - SOIL; SHORT TERM 31.7 MG/KG 1, 8- CINEOLE (CAS: 470-82-6) DNEL WORKERS - INHALATION; LONG TERM SYSTEMIC EFFECTS: 7.05 MG/M<sup>3</sup> WORKERS - DERMAL; LONG TERM SYSTEMIC EFFECTS: 2 MG/KG, BW/DAY GENERAL POPULATION - INHALATION; LONG TERM SYSTEMIC EFFECTS: 1.74 MG/M<sup>3</sup> GENERAL POPULATION - DERMAL; LONG TERM SYSTEMIC EFFECTS: 1 BW/DAY, MG/KG GENERAL POPULATION - ORAL; LONG TERM SYSTEMIC EFFECTS: 600 BW/DAY, MG/KG PNEC - FRESH WATER; SHORT TERM 5.7 MG/L - INTERMITTENT RELEASE, FRESH WATER; 0.57 MG/L - MARINE WATER;

SHORT TERM 5.7 MG/L - STP; SHORT TERM 10 MG/L - SEDIMENT (FRESH WATER); SHORT TERM 1.425 MG/KG - SEDIMENT (MARINE WATER); SHORT TERM 0.142 MG/KG - SOIL; SHORT TERM 0.25 MG/KG

8.2 EXPOSURE CONTROLS EYE PROTECTION WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. HAND PROTECTION WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. RESPIRATORY EQUIPMENT UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7. HYGIENE MEASURES GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS. ENGINEERING MEASURES PROVIDE ADEQUATE GENERAL AND LOCAL EXHAUST VENTILATION. SKIN PROTECTION WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT. PERSONAL PROTECTION AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES. OTHER PROTECTION WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS. PROCESS CONDITIONS ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH. ENVIROMENTAL EXPOSURE CONTROLS AVOID DISCHARGING INTO DRAINAGE WATER.

## **SECTION 9: PHYSICAL & CHEMICAL PROPERTIES**

**9.1 PHYSICAL & CHEMICAL PROPERTIES:-** APPEARANCE LIQUID COLOUR COLOURLESS TO PALE YELLOW. ODOUR CHARACTERISTIC – POWERFUL, WARM, SPICY. RELATIVE DENSITY APPROX 0.896 @ 20°C FLASH POINT (°C) 57°C REFRACTIVE INDEX @ 20 °C APPROX 1.476 @ 20°C SOLUBILITY IN WATER @ 20 °C INSOLUBLE IN WATER

**9.2 OTHER INFORMATION:-** NO DATA. SECTION

## **10: STABILITY & REACTIVITY**

**10.1 REACTIVITY:-** NO DATA

**10.2 CHEMICAL STABILITY:-** STABLE UNDER SUGGESTED STORAGE CONDITIONS (<15°C).

**10.3 POSSIBILITY OF HAZARDOUS REACTIONS:-** NO.

**10.4 CONDITIONS TO AVOID:-** STORAGE AT HIGH TEMPERATURES. DO NOT STORE ABOVE 15°C.

**10.5 INCOMPATIBLE MATERIALS:-** STRONG ACIDS, ALKALI OR OXIDISING

**10.6 HAZARDOUS DECOMPOSITION PRODUCTS:-** THIS PRODUCT DOES NOT DECOMPOSE UNDER NORMAL CONDITIONS. UNDER FIRE CONDITIONS THE PRODUCT WILL PRODUCE A MIXTURE OF IRRITATING FUMES & SMOKE & CARBON MONOXIDE.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

**11.1 TOXICOLOGICAL EFFECTS:** ACUTE TOXICITY Ingestion: Harmful if swallowed. Oral: LD<sub>50</sub> 1900 mg/kg, Oral, Rat Dermal: LD<sub>50</sub> >5000 mg/kg, Dermal, Rabbit SKIN IRRITATION MAY BE HARMFUL IF ABSORBED THROUGH THE SKIN. MAY BE HARMFUL IF SWALLOWED. EYE DAMAGE OR IRRITATION MAY CAUSE EYE IRRITATION. RESPIRATORY OR SKIN SENSITIVITY POTENTIAL IRRITANT IF INHALED. GERM CELL MUTAGENICITY NO DATA CARCINOGENICITY NO DATA REPRODUCTIVE TOXICITY NO DATA STOT – SINGLE EXPOSURE NO DATA STOT – REPEATED EXPOSURE NO DATA ASPIRATION HAZARD MAYBE FATAL IF SWALLOWED & ENTERS AIRWAYS OTHER INFORMATION NO DATA.

## **SECTION 12: ECOLOGICAL INFORMATION**

**12.1 TOXICITY:-** NOT ACUTELY TOXIC TO FISH (LC<sub>50</sub>>100MG/L OECD 203).

**12.2 PERSISTENCE & DEGRADABILITY:-** THE PRODUCT IS NOT READILY BIODEGRADABLE.

**12.3 BIO- ACCUMULATIVE POTENTIAL:-** NO DATA

**12.4 MOBILITY IN SOIL:-** NO DATA

**12.5 RESULTS OF PBT & VPVB ASSESSMENT:-** NO DATA

**12.6 OTHER ADVERSE EFFECTS:-** DO NOT ALLOW PRODUCT TO ENTER STREAMS, SEWERS OR OTHER WATERWAYS.

## **SECTION 13: DISPOSAL INFORMATION**

**13.1 WASTE TREATMENT METHODS:-** ALWAYS RECOVER SPILLED PRODUCT. DISCARD WASTE MATERIAL WITH AUTHORIZED WASTE MANAGEMENT SERVICES. ACT IN ACCORDANCE WITH LOCAL & NATIONAL WASTE REGULATIONS.

## **SECTION 14: TRANSPORT INFORMATION**

**14.1 TRANSPORT INFORMATION:-** UN NUMBER ROAD: 1169 RAIL: 1169 AIR: 1169

**14.2 UN SHIPPING NAME:-** UN1169 EXTRACTS, AROMATIC, LIQUID (TEA TREE)

**14.3 TRANSPORT HAZARD CLASS(ES):-** ADR/RID/ADN CLASS: 3 FLAMMABLE LIQUID. IMDG CLASS: 3 FLAMMABLE LIQUID. ICAO CLASS/DIVISION: 3 FLAMMABLE LIQUID. TRANSPORT LABELS

**14.4 PACKING GROUP:-** ADR/RID/ADN PACKING GROUP III IMDG PACKING GROUP III ICAO PACKING GROUP III

**14.5 ENVIRONMENTAL HAZARDS:-** ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT

**14.6 SPECIAL PRECAUTIONS FOR USER EMS:** F-E, S-D EMERGENCY ACTION CODE: 3Y HAZARD NO (ADR): 30 FLAMMABLE LIQUID (FLASH-POINT BETWEEN 23°C AND 60°C, INCLUSIVE) OR FLAMMABLE LIQUID OR SOLID IN THE MOLTEN STATE WITH A FLASH-POINT ABOVE 60°C, HEATED TO A TEMPERATURE EQUAL TO OR ABOVE ITS FLASH-POINT, OR SELF HEATING LIQUID. TUNNEL RESTRICTION CODE: (D/E)

**14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE:-** NO ADDITIONAL DATA.

## **SECTION 15: REGULATORY INFORMATION**

### **15.1 PRODUCT SPECIFIC SAFETY, HEALTH & ENVIRONMENTAL**

**REGULATIONS & LEGISLATION:-** EU DIRECTIVES REGULATION (EC) NO 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18TH DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE 1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) NO793/93 & COMMISSION REGULATION (EC) NO1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS). STATUTORY INSTRUMENTS THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009 NO 716). APPROVED CODE OF PRACTICE CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA SHEETS FOR SUBSTANCES & PREPARATIONS. GUIDANCE NOTES WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.

**SECTION 16: OTHER INFORMATION:-** HAZARD AND/ OR PRECAUTIONARY STATEMENTS IN FULL H226 FLAMMABLE LIQUID AND VAPOUR. H302 HARMFUL IF SWALLOWED. H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H315 CAUSES SKIN IRRITATION. H317 MAY CAUSE AN ALLERGIC SKIN REACTION. H319 CAUSES SERIOUS EYE IRRITATION. H400 VERY TOXIC TO AQUATIC LIFE. H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.